

H5P_GET_META_BLOCK_SIZE

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5P_GET_META_BLOCK_SIZE

Returns the current metadata block size setting

Procedure:

H5P_GET_META_BLOCK_SIZE (fapl_id, size)

Signature:

```
herr_t H5Pget_meta_block_size(  
    hid_t fapl_id,  
    hsize_t *size  
)
```

Fortran90 Interface: h5pget_meta_block_size_f

```
SUBROUTINE h5pget_meta_block_size_f(plist_id, size, hdferr)  
    IMPLICIT NONE  
    INTEGER(HID_T), INTENT(IN) :: plist_id ! File access property list  
    ! identifier  
    INTEGER(HSIZE_T), INTENT(OUT) :: size ! Metadata block size  
    INTEGER, INTENT(OUT) :: hdferr ! Error code  
    ! 0 on success and -1 on failure  
END SUBROUTINE h5pget_meta_block_size_f
```

Parameters:

<i>hid_t</i> <i>fapl_id</i>	IN: File access property list identifier
<i>hsize_t</i> * <i>size</i>	OUT: Minimum size, in bytes, of metadata block allocations

Description:

H5P_GET_META_BLOCK_SIZE returns the current minimum size, in bytes, of new metadata block allocations. This setting is retrieved from the file access property list *fapl_id*.

This value is set by H5P_SET_META_BLOCK_SIZE and is retrieved from the file access property list *fapl_id*.

Returns:

Returns a non-negative value if successful. Otherwise returns a negative value.

Example:

Coming Soon!

History:

Release	Change
1.4.0	Function introduced in this release

--- Last Modified: August 05, 2019 | 09:47 AM