

H5I_TYPE_EXISTS

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5I_TYPE_EXISTS

Determines whether an identifier type is registered

Procedure:

H5I_TYPE_EXISTS(*type*)

Signature:

```
htri_t H5Itype_exists( H5I_type_t type )
```

Parameters:

| | |
|-------------------------------|---------------------|
| <i>H5I_type_t</i> <i>type</i> | IN: Identifier type |
|-------------------------------|---------------------|

Description:

H5I_TYPE_EXISTS determines whether the given identifier type, *type*, is registered with the library.

Returns:

Returns a positive value if the type is registered.
Returns 0 if the type is not registered.
Returns a negative value when the function fails.

Example:

Coming Soon!

History:

| Release | Change |
|---------|--------------------------------------|
| 1.8.0 | Function introduced in this release. |

--- Last Modified: April 25, 2019 | 12:33 PM