

H5P_UNREGISTER

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5P_UNREGISTER

Removes a property from a property list class

Procedure:

H5P_UNREGISTER (class, name)

Signature:

```
herr_t H5Punregister(  
    H5P_class_t class,  
    const char *name  
)
```

Fortran90 Interface: h5punregister_f

```
SUBROUTINE h5punregister_f(class, name, hdferr)  
    IMPLICIT NONE  
    INTEGER(HID_T), INTENT(IN) :: class ! Property list class identifier  
    CHARACTER(LEN=*) , INTENT(IN) :: name ! Name of property to remove  
    INTEGER, INTENT(OUT) :: hdferr ! Error code  
                                ! 0 on success and -1 on failure  
END SUBROUTINE h5punregister_f
```

Parameters:

<i>H5P_class_t</i> class	IN: Property list class from which to remove permanent property
--------------------------	---

`const char *name`

IN: Name of property to remove

Description:

H5P_UNREGISTER removes a property from a property list class.

Future property lists created of that class will not contain this property; existing property lists containing this property are not affected.

Returns:

Success: a non-negative value

Failure: a negative value

Example:

Coming Soon!

History:

--- Last Modified: August 12, 2019 | 12:26 PM