

H5T_GET_ARRAY_DIMS2

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5T_GET_ARRAY_DIMS2

Retrieves sizes of array dimensions

Procedure:

H5T_GET_ARRAY_DIMS2 (adtype_id, dims)

Signature:

```
int H5Tget_array_dims2( hid_t adtype_id, hsize_t dims[] )
```

Parameters:

<i>hid_t</i> adtype_id	IN: Datatype identifier of array object
<i>hsize_t</i> dims[]	OUT: Sizes of array dimensions

Description:

H5T_GET_ARRAY_DIMS2 returns the sizes of the dimensions of the specified array datatype object.

The sizes of the dimensions are returned in the array `dims`.

Returns:

Returns the non-negative number of dimensions of the array type if successful; otherwise returns a negative value.

Example:
Coming Soon!

History:

Release	Change
1.8.0	Function introduced in this release.

--- Last Modified: May 16, 2019 | 09:21 AM