

H5I_DEC_TYPE_REF

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5I_DEC_TYPE_REF

Decrements the reference count on an identifier type

Procedure:

H5I_DEC_TYPE_REF(type)

Signature:

```
int H5Idec_type_ref( H5I_type_t type )
```

Parameters:

<i>H5I_type_t</i> type	IN: The identifier of the type whose reference count is to be decremented
------------------------	---

Description:

H5I_DEC_TYPE_REF decrements the reference count on an identifier type. The reference count is used by the library to indicate when an identifier type can be destroyed. If the reference count reaches zero, this function will destroy it.

The `type` parameter is the identifier for the identifier type whose reference count is to be decremented. This identifier must have been created by a call to H5I_REGISTER_TYPE.

Returns:

Returns the current reference count on success, negative on failure.

Example:

Coming soon!

--- Last Modified: May 24, 2018 | 04:07 PM