

# H5T\_FIND

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)  
[Description](#)  
[Example](#)  
[JAVA](#)  
[FORTRAN](#)  
[C++](#)  
[C](#)

# H5T\_FIND

Finds a conversion function

## Procedure:

H5T\_FIND (src\_id, dst\_id, pcddata)

## Signature:

```
H5T_conv_t H5Tfind(hid_t src_id, hid_t dst_id, H5T_cdata_t **pcdata )
```

## Parameters:

<i>hid_t</i> src_id	IN: Identifier for the source datatype
<i>hid_t</i> dst_id	IN: Identifier for the destination datatype
<i>H5T_cdata_t</i> **pcdata	OUT: Pointer to type conversion data

## Description:

H5T\_FIND finds a conversion function that can handle a conversion from type `src_id` to type `dst_id`. The `pcdata` argument is a pointer to a pointer to type conversion data which was created and initialized by the soft type conversion function of this path when the conversion function was installed on the path.

**Returns:**

Returns a pointer to a suitable conversion function if successful. Otherwise returns NULL.

**Example:**

Coming Soon!

--- Last Modified: May 16, 2019 | 08:59 AM