

# H5VL\_GET\_CONNECTOR\_ID

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)  
[Description](#)  
[Example](#)  
[JAVA](#)  
[FORTRAN](#)  
[C++](#)  
[C](#)

# H5VL\_GET\_CONNECTOR\_ID

Retrieves the VOL connector identifier for a given object identifier

## Procedure:

H5VL\_GET\_CONNECTOR\_ID ( obj\_id )

## Signature:

```
hid_t H5VLget_connector_id ( hid_t obj_id )
```

```
SUBROUTINE H5VLget_connector_id_f ( obj_id, vol_id, hdferr )  
  IMPLICIT NONE  
  INTEGER(HID_T), INTENT(IN) :: obj_id  
  INTEGER(HID_T), INTENT(OUT) :: vol_id  
  INTEGER, INTENT(OUT) :: hdferr  
END SUBROUTINE H5VLget_connector_id_f
```

## Parameters:

<i>hid_t</i> obj_id	Object identifier
---------------------	-------------------

## Description

H5VL\_GET\_CONNECTOR\_ID retrieves the registered VOL connector identifier for the specified object identifier `obj_id`. The VOL connector identifier must be closed with `H5VL_CLOSE` when no longer in use.

**Returns:**

A valid VOL connector identifier for a given object identifier

H5I\_INVALID\_HID on error

**Example:****History:**

Release	Change
1.12.0	Function introduced

--- Last Modified: January 31, 2020 | 01:45 PM