

H5LT_FIND_ATTRIBUTE

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5LT_FIND_ATTRIBUTE

Determines whether an attribute exists

Procedure:

H5LT_FIND_ATTRIBUTE (loc_id, attr_name)

Signature:

```
herr_t H5LTfind_attribute ( hid_t loc_id, const char *attr_name )
```

Parameters:

<i>hid_t</i> loc_id	IN: Identifier of the object to which the attribute is expected to be attached
<i>const char</i> *attr_name	IN: Attribute name

Description:

H5LT_FIND_ATTRIBUTE determines whether an attribute named `attr_name` exists attached to the object specified by `loc_id`.

`loc_id` must be an object identifier and `attr_name` must specify an attribute that is expected to be attached to that object.

Returns:

Returns 1 if the attribute exists; returns 0 otherwise.

Example:

Coming Soon!

--- Last Modified: August 13, 2019 | 01:32 PM