

# H5A\_CLOSE

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)  
[Description](#)  
[Example](#)  
[JAVA](#)  
[FORTRAN](#)  
[C++](#)  
[C](#)

# H5A\_CLOSE

Closes the specified attribute

## Procedure:

H5A\_CLOSE ( attr\_id )

## Signature:

```
herr_t H5Aclose(hid_t attr_id)
```

Fortran90 Interface: h5aclose\_f

```
SUBROUTINE h5aclose_f(attr_id, hdferr)
  IMPLICIT NONE
  INTEGER(HID_T), INTENT(OUT) :: attr_id ! Attribute identifier
  INTEGER, INTENT(OUT) :: hdferr ! Error code:
  ! 0 on success and -1 on failure
END SUBROUTINE h5aclose_f
```

## Parameters:

*hid\_t* attr\_id IN: Attribute to release access to

## Description:

H5A\_CLOSE terminates access to the attribute specified by attr\_id by releasing the identifier.

Further use of a released attribute identifier is illegal; a function using such an identifier will fail.

**Returns:**

Returns a non-negative value if successful; otherwise returns a negative value.

**Example:**

--- Last Modified: October 23, 2020 | 02:40 PM