

H5D_GET_CREATE_PLIST

[Expand all](#) [Collapse all](#)

- [Jump to ...](#)
- [Summary](#)
- [Description](#)
- [Example](#)
- [Switch language ...](#)
- [C](#)
- [C++](#)
- [FORTRAN](#)
- [JAVA](#)

[Summary](#)
[Description](#)
[Example](#)
[JAVA](#)
[FORTRAN](#)
[C++](#)
[C](#)

H5D_GET_CREATE_PLIST

Returns an identifier for a copy of the dataset creation property list for a dataset

Procedure:

H5D_GET_CREATE_PLIST (Dataset_id)

Signature:

```
hid_t H5Dget_create_plist(hid_t dataset_id )
```

```
SUBROUTINE h5dget_create_plist_f(dataset_id, creation_id, hdferr)
  IMPLICIT NONE
  INTEGER(HID_T), INTENT(IN) :: dataset_id      ! Dataset identifier
  INTEGER(HID_T), INTENT(OUT) :: creation_id    ! Dataset creation
                                                ! property list identifier
  INTEGER, INTENT(OUT) :: hdferr               ! Error code
                                                ! 0 on success and -1 on failure
END SUBROUTINE h5dget_create_plist_f
```

Parameters:

| | |
|-------------------------|--|
| <i>hid_t</i> dataset_id | IN: Identifier of the dataset to query |
|-------------------------|--|

Description:

H5D_GET_CREATE_PLIST returns an identifier for a copy of the dataset creation property list associated with the dataset specified by `dataset_id`.

The creation property list identifier should be released with [H5P_CLOSE](#).

Returns:

Returns a dataset creation property list identifier if successful; otherwise returns a negative value.

Example:

Coming Soon!

--- Last Modified: April 10, 2018 | 03:58 PM